

L Number	Hits	Search Text	DB	Time stamp
1	45129	(interleav\$5 or multiplex\$5 or mux\$3 or combin\$5) near6 ratio\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 08:28
2	1156	((interleav\$5 or multiplex\$5 or mux\$3 or combin\$5) near6 ratio\$1) and duplex\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 08:28
3	357	parallel with serial with ratio\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 08:13
4	2415	(p adj2 s or s adj2 p) with ratio\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 08:15
5	2747	(parallel with serial with ratio\$1) or ((p adj2 s or s adj2 p) with ratio\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 08:13
6	3	((((interleav\$5 or multiplex\$5 or mux\$3 or combin\$5) near6 ratio\$1) and duplex\$3) and ((parallel with serial with ratio\$1) or ((p adj2 s or s adj2 p) with ratio\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 08:13
7	202037	(p adj2 s or s adj2 p or (serial with parallel))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 08:15
8	308	((((interleav\$5 or multiplex\$5 or mux\$3 or combin\$5) near6 ratio\$1) and duplex\$3) and ((p adj2 s or s adj2 p or (serial with parallel))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 08:17
9	52196	deinterleav\$5 or de adj2 interleav\$5 or demux\$5 or demultiplex\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 08:17
10	70	(((((interleav\$5 or multiplex\$5 or mux\$3 or combin\$5) near6 ratio\$1) and duplex\$3) and ((p adj2 s or s adj2 p or (serial with parallel)))) and (deinterleav\$5 or de adj2 interleav\$5 or demux\$5 or demultiplex\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 08:27

11	154941	(interleav\$5 or multiplex\$5 or mux\$3 or combin\$5) with (multiply\$3 or multiplier\$1 or product\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 08:28
12	444	((interleav\$5 or multiplex\$5 or mux\$3 or combin\$5) with (multiply\$3 or multiplier\$1 or product\$1)) same ((p adj2 s or s adj2 p or (serial with parallel)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 08:28
13	24	((interleav\$5 or multiplex\$5 or mux\$3 or combin\$5) with (multiply\$3 or multiplier\$1 or product\$1)) same ((p adj2 s or s adj2 p or (serial with parallel))) and duplex\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 08:48
14	2	20020145787.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 08:48
-	7212	duplex\$3 with (half or "1/2")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/14 08:11
-	47	(duplex\$3 with (half or "1/2") ) same interleav\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 09:33
-	464	duplex\$3 same interleav\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 11:03
-	56	(duplex\$3 same interleav\$7) same (half or "1/2")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 09:34
-	50	((duplex\$3 same interleav\$7) same (half or "1/2")) and (@ad<20010726 or @rlad<20010726 or @prad<20010726 or @pt1d<20010726 or @pd<20010726)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 11:03
-	160	routing adj6 switcher\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 11:02
-	131	(conver\$7 or translat\$7) with duplex\$3 with full with (half or "1/2")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 11:03

-	122	((conver\$7 or translat\$7) with duplex\$3 with full with (half or "1/2")) and (@ad<20010726 or @rlad<20010726 or @prad<20010726 or @pt1d<20010726 or @pd<20010726)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 14:43
-	0	((conver\$7 or translat\$7) with duplex\$3 with full with (half or "1/2")) same interleav\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 11:03
-	8	((conver\$7 or translat\$7) with duplex\$3 with full with (half or "1/2")) and (@ad<20010726 or @rlad<20010726 or @prad<20010726 or @pt1d<20010726 or @pd<20010726)) and interleav\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 11:08
-	114	((conver\$7 or translat\$7) with duplex\$3 with full with (half or "1/2")) and (@ad<20010726 or @rlad<20010726 or @prad<20010726 or @pt1d<20010726 or @pd<20010726)) not (((conver\$7 or translat\$7) with duplex\$3 with full with (half or "1/2")) and (@ad<20010726 or @rlad<20010726 or @prad<20010726 or @pt1d<20010726 or @pd<20010726)) and interleav\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 13:00
-	403	full with duplex\$3 with simplex	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 13:00
-	46	(full with duplex\$3 with simplex) same (interleav\$7 or deinterleav\$7 or multiplex\$7 or demultiplex\$7 or mux\$5 or demux\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 13:57
-	43	((full with duplex\$3 with simplex) same (interleav\$7 or deinterleav\$7 or multiplex\$7 or demultiplex\$7 or mux\$5 or demux\$5)) and (@ad<20010726 or @rlad<20010726 or @prad<20010726 or @pt1d<20010726 or @pd<20010726)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 07:10
-	10	(US-3823401-\$ or US-4488293-\$ or US-4564899-\$ or US-4715045-\$ or US-4763317-\$ or US-6690890-\$ or US-6614796-\$ or US-6272130-\$ or US-6226296-\$).did. or (US-5880864-\$).did.	USPAT; DERWENT	2004/06/02 13:57
-	2859	duplex\$3 with simplex\$3	USPAT; DERWENT	2004/06/02 13:57
-	90	((duplex\$3 with simplex\$3) same (interleav\$7 or deinterleav\$7 or multiplex\$7 or demultiplex\$7 or mux\$5 or demux\$5)) and (@ad<20010726 or @rlad<20010726 or @prad<20010726 or @pt1d<20010726 or @pd<20010726)) not (((full with duplex\$3 with simplex) same (interleav\$7 or deinterleav\$7 or multiplex\$7 or demultiplex\$7 or mux\$5 or demux\$5)) and (@ad<20010726 or @rlad<20010726 or @prad<20010726 or @pt1d<20010726 or @pd<20010726))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 13:59

-	124	(duplex\$3 with simplex\$3) same (interleav\$7 or deinterleav\$7 or multiplex\$7 or demultiplex\$7 or mux\$5 or demux\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 14:43
-	117	((duplex\$3 with simplex\$3) same (interleav\$7 or deinterleav\$7 or multiplex\$7 or demultiplex\$7 or mux\$5 or demux\$5)) and (@ad<20010726 or @rlad<20010726 or @prad<20010726 or @pt1d<20010726 or @pd<20010726)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 14:17
-	117	(duplex\$3 with simplex\$3) and (((duplex\$3 with simplex\$3) same (interleav\$7 or deinterleav\$7 or multiplex\$7 or demultiplex\$7 or mux\$5 or demux\$5)) and (@ad<20010726 or @rlad<20010726 or @prad<20010726 or @pt1d<20010726 or @pd<20010726))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 14:42
-	4126	duplex\$3 same simplex\$ \	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 14:43
-	4126	duplex\$3 same simplex\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 14:43
-	208	(duplex\$3 same simplex\$) same (interleav\$7 or deinterleav\$7 or multiplex\$7 or demultiplex\$7 or mux\$5 or demux\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 14:43
-	181	((duplex\$3 same simplex\$) same (interleav\$7 or deinterleav\$7 or multiplex\$7 or demultiplex\$7 or mux\$5 or demux\$5)) and (@ad<20010726 or @rlad<20010726 or @prad<20010726 or @pt1d<20010726 or @pd<20010726)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 14:43
-	64	((duplex\$3 same simplex\$) same (interleav\$7 or deinterleav\$7 or multiplex\$7 or demultiplex\$7 or mux\$5 or demux\$5)) and (@ad<20010726 or @rlad<20010726 or @prad<20010726 or @pt1d<20010726 or @pd<20010726)) not (((duplex\$3 with simplex\$3) and (((duplex\$3 with simplex\$3) same (interleav\$7 or deinterleav\$7 or multiplex\$7 or demultiplex\$7 or mux\$5 or demux\$5)) and (@ad<20010726 or @rlad<20010726 or @prad<20010726 or @pt1d<20010726 or @pd<20010726))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/02 14:43

-	48	(((duplex\$3 same simplex\$) same (interleav\$7 or deinterleav\$7 or multiplex\$7 or demultiplex\$7 or mux\$5 or demux\$5)) and (@ad<20010726 or @rlad<20010726 or @prad<20010726 or @pt1d<20010726 or @pd<20010726)) not ((duplex\$3 with simplex\$3) and (((duplex\$3 with simplex\$3) same (interleav\$7 or deinterleav\$7 or multiplex\$7 or demultiplex\$7 or mux\$5 or demux\$5)) and (@ad<20010726 or @rlad<20010726 or @prad<20010726 or @pt1d<20010726 or @pd<20010726)))) not (((full with duplex\$3 with simplex) same (interleav\$7 or deinterleav\$7 or multiplex\$7 or demultiplex\$7 or mux\$5 or demux\$5)) and (@ad<20010726 or @rlad<20010726 or @prad<20010726 or @pt1d<20010726 or @pd<20010726)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 07:07
-	11836	duplex\$3 same (combin\$7 or interleav\$7 or mux\$3 or demux\$3 or multiplex\$7 or demultiplex\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 07:10
-	292	(duplex\$3 same (combin\$7 or interleav\$7 or mux\$3 or demux\$3 or multiplex\$7 or demultiplex\$7)) same recover\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 07:09
-	11839	duplex\$3 same (combin\$7 or interleav\$7 or deinterleav\$7 or mux\$3 or demux\$3 or multiplex\$7 or demultiplex\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 08:33
-	293	(duplex\$3 same (combin\$7 or interleav\$7 or deinterleav\$7 or mux\$3 or demux\$3 or multiplex\$7 or demultiplex\$7)) same recover\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 07:13
-	252	((duplex\$3 same (combin\$7 or interleav\$7 or deinterleav\$7 or mux\$3 or demux\$3 or multiplex\$7 or demultiplex\$7)) same recover\$7) and (@ad<20010726 or @rlad<20010726 or @prad<20010726 or @pt1d<20010726 or @pd<20010726)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 08:33
-	3	(US-5111451-\$ or US-6728320-\$).did. or (US-20020145787-\$).did.	USPAT; US-PGPUB	2004/06/03 07:12
-	1	((US-5111451-\$ or US-6728320-\$).did. or (US-20020145787-\$).did.) and serial\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 07:13
-	3	((US-5111451-\$ or US-6728320-\$).did. or (US-20020145787-\$).did.) and channel\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 07:13

-	158	((duplex\$3 same (combin\$7 or interleav\$7 or deinterleav\$7 or mux\$3 or demux\$3 or multiplex\$7 or demultiplex\$7)) same recover\$7) same (channel\$7 or path\$5 or bus or busses or buses)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 07:14
-	134	((((duplex\$3 same (combin\$7 or interleav\$7 or deinterleav\$7 or mux\$3 or demux\$3 or multiplex\$7 or demultiplex\$7)) same recover\$7) same (channel\$7 or path\$5 or bus or busses or buses)) and (@ad<20010726 or @rlad<20010726 or @prad<20010726 or @pt1d<20010726 or @pd<20010726)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 07:14
-	502	duplex\$3 same (combin\$7 or interleav\$7 or deinterleav\$7 or mux\$3 or demux\$3 or multiplex\$7 or demultiplex\$7) same simplex\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 08:33
-	19	(duplex\$3 same (combin\$7 or interleav\$7 or deinterleav\$7 or mux\$3 or demux\$3 or multiplex\$7 or demultiplex\$7) same simplex\$3) same recover\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 08:33
-	15	((duplex\$3 same (combin\$7 or interleav\$7 or deinterleav\$7 or mux\$3 or demux\$3 or multiplex\$7 or demultiplex\$7) same simplex\$3) same recover\$7) and (@ad<20010726 or @rlad<20010726 or @prad<20010726 or @pt1d<20010726 or @pd<20010726)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 09:41
-	2	6038357.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 13:31
-	1	6614796.pn. and align\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 13:37
-	12095	(bond\$7 or align\$7) with stream\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 13:37
-	13	((bond\$7 or align\$7) with stream\$1) same duplex\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 13:39
-	367	((bond\$7 or align\$7) with stream\$1) and duplex\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 14:09

-	136	((bond\$7 or align\$7) with stream\$1) same (deinterleav\$7 or demux\$7 or demultiplex\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 13:40
-	1568	(bond\$7 or align\$7) same (deinterleav\$7 or demux\$7 or demultiplex\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 14:09
-	114	((bond\$7 or align\$7) same (deinterleav\$7 or demux\$7 or demultiplex\$7)) and duplex\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 14:09